










Plafó LED







D62022A | 20W | LED Slim Plafó


IP20











0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62022A	20W	1600lm	3000K	G	WHITE	0-10V	IP20	120V-277V




D62022B | 25W | LED Slim Plafó


IP20











0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62022B	25W	2000lm	3000K	G	WHITE	0-10V	IP20	120V-277V




D62022C | 36W | LED Slim Plafó






IP20







0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62022C	36W	2900lm	3000K	G	WHITE	0-10V	IP20	120V-277V




 866.356.4458
solavantilighting.com
   









**LED
BUILT IN**

D62024A | 14W | LED Slim Plafó



IP20





11.8"

3.98"




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRAIP20	D62024A	14W	850lm	3000K	G	WHITE	0-10V	IP20	120V-277V







**LED
BUILT IN**

D62024B | 18W | LED Slim Plafó



IP20





14.7"

3.94"




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRAIP20	D62024B	18W	1100lm	3000K	G	WHITE	0-10V	IP20	120V-277V







**LED
BUILT IN**

D62024C | 26W | LED Slim Plafó



IP20









17.32"

4.53"

0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRAIP20	D62024C	26W	1600lm	3000K	G	WHITE	0-10V	IP20	120V-277V




D62026A | 15W | SMD 2835 LED | Slim Plafo - Residential & Commercial Application






IP20



0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026AW	15W	1050lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V




D62026B | 24W | SMD 2835 LED | Slim Plafo - Residential & Commercial Application






IP20



0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026BW	24W	1700lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V




D62026C | 30W | SMD 2835 LED | Slim Plafo - Residential & Commercial Application

IP20



0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026CW	30W	2150lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V



D62140RF | 40W | LED Slim Plafó

IP40


5.7" x 42.24"


1.97"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
MACON	D62140RF	40W	2700lm	4000K	G	WHITE	0-10V	IP40	120V-277V











**LED
BUILT IN**

**80
CRI**


D62118D | 18W | LED Slim Plafo


IP20



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62118D	18W	1100lm	3000K	120°	WHITE	0-10V	IP20	120V-277V






**LED
BUILT IN**

**80
CRI**


D62125D | 25W | LED Slim Plafo


IP20



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62125D	25W	1500lm	3000K	120°	WHITE	0-10V	IP20	120V-277V






**LED
BUILT IN**

**80
CRI**


D62150D | 50W | LED Slim Plafo







IP20



0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62150D	50W	3150lm	4000K	120°	WHITE	0-10V	IP20	120V-277V




D62142N | 42W | LED Decorative Plafó

IP20

|


23.62"







|



0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62142NW	42W	2520lm	3000K	G	WHITE	0-10V	IP20	120V-277V
LORAINE	D62142NAN	42W	2520lm	3000K	G	ANTHRACITE	0-10V	IP20	120V-277V




D62132N | 32W | LED Decorative Plafó

IP20

|


17.9"


|









0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62132NW	32W	1920lm	3000K	G	WHITE	0-10V	IP20	120V-277V
LORAINE	D62132NAN	32W	1920lm	3000K	G	ANTHRACITE	0-10V	IP20	120V-277V





D62134N | 32W | LED Plafo


IP20







15.75"

3.35"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62134N	32W	1750lm	3000K	120°	BRSH BRASS	0-10V	IP20	120V-277V



D62144N | 50W | LED Plafo

IP20

24"

3.35"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62144N	50W	2750lm	3000K	120°	BRSH BRASS	0-10V	IP20	120V-277V











D67452 | 30W | LED Dark Light Plafo


IP20
DARK LIGHT







18.9"

5.6"




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
MELANIA	D67452W	30W	2000lm	3000K	G	WHITE	0-10V	IP54	120V-277V
MELANIA	D67452B	30W	2000lm	3000K	G	BLACK	0-10V	IP54	120V-277V

















D62146 | 55W | SMD 2835 LED | *Slim Plafó - Residential & Commercial Application*




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LUCENT	D62146BW	55W	4100lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V

















D62146A | 50W | SMD 2835 LED | *Slim Plafó - Residential & Commercial Application*




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LUCENT	D62146ABW	50W	4100lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V

















D67402 | 25W | LED Slim Plafó


0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
WADEET	D67402W	25W	1850lm	3000K	G	WHITE	0-10V	IP40	120V-277V
WADEET	D67402B	25W	1850lm	3000K	G	BLACK	0-10V	IP40	120V-277V




D62152 | 40W | SMD 2835 LED | *Slim Plafo - Residential & Commercial Application*






IP20






0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62152WC	40W	2800lm	4000K	Cool White	WHITE	0-10V	IP20	120V-277V
IRRA IP20	D62152WW	40W	2800lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V
IRRA IP20	D62152BW	40W	2800lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V



D62152A | 40W | SMD 2835 LED | *Slim Plafo - Residential & Commercial Application*










IP20




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62152AWC	40W	2800lm	4000K	Cool White	WHITE	0-10V	IP20	120V-277V
IRRA IP20	D62152AWW	40W	2800lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V
IRRA IP20	D62152ABW	40W	2800lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V




D62154 | 24W | SMD 2835 LED | *Slim Plafo - Residential & Commercial Application*




IP20







0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62154WW	24W	2150lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V
IRRA IP20	D62154BW	24W	2150lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V
IRRA IP20	D62154CW	24W	2150lm	3000K	Warm White	CHROME	0-10V	IP20	120V-277V






	LED BUILT IN	80 CRI			
---	-------------------------	-------------------	---	--	---

D67370 | 25W | LED Slim Plafó

IP54

13.78"



1.57"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
PEDINO	D67370	25W	2000lm	4000K	G	WHITE	0-10V	IP54	120V-277V













D67362 | 20W | LED Slim Plafó












0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67362W	20W	1600lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67362AN	20W	1600lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V



D67362A | 20W | LED Slim Plafó





0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67362AW	20W	1600lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67362AAN	20W	1600lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V

















D67363 | 30W | LED Slim Plafó






0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67363W	30W	2500lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67363AN	30W	2500lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V



D67363A | 30W | LED Slim Plafó











0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67363AW	30W	2500lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67363AAN	30W	2500lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V








D67368 | 18W | LED Slim Plafó

IP54





11.8" | 1.65"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
PEDINO	D67368	18W	1350lm	3000K	120°	WHITE	0-10V	IP54	120V-277V











**LED
BUILT IN**

**80
CRI**











D67384 | 30W | Indoor / Outdoor LED Slim Plafo

IP54 | 13.4" | 1.97"

0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
HASKO	D67384W	30W	2500lm	3000K	G	WHITE	0-10V	IP54	120V-277V
HASKO	D67384AN	30W	2500lm	3000K	G	ANTHRACITE	0-10V	IP54	120V-277V










**LED
BUILT IN**

**80
CRI**







D67384A | 30W | Indoor / Outdoor LED Slim Plafo

IP54 | 13.38"x13.38" | 1.97"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
HASKO	D67384AW	30W	2500lm	3000K	G	WHITE	0-10V	IP54	120V-277V
HASKO	D67384AAN	30W	2500lm	3000K	G	ANTHRACITE	0-10V	IP54	120V-277V