



LICHTKANAL 070

Lighting System (Indoor Ceiling Pendant - IP20)

date	
customer	
project	
quantity	

LICHTKANAL is available in several variations. The diffuser is in form of different acrylic profiles for various lighting tasks. All Lichtkanal sizes are characterized by their continuously illuminated surface. Individual solutions, e.g. wall-ceiling or wall-edge solutions can be designed.

- acrylic diffuser profile with snap-in technique
- highest-quality aluminum profile
- various suspension systems available as accessories


LK70 Indoor Ceiling Pendant



[Click here for LK70 Outdoor Ceiling Pendant](#)

[Click here for LK45 Indoor Ceiling Pendant](#)


[Click here for LK45 Indoor Ceiling Surface](#)



[Click here for LK70 Indoor Ceiling Surface](#)

[Click here for LK70 Outdoor Ceiling Surface](#)


[Click here for LK45 Indoor Ceiling Recessed](#)



[Click here for LK70 Indoor Ceiling Recessed](#)

[Click here for LK70 Outdoor Ceiling Recessed](#)

[Click here for LK45 Indoor Wall Surface](#)



[Click here for LK70 Indoor Wall Surface](#)

[Click here for LK70 Outdoor Wall Surface](#)


example...



Family	Profile size	Mounting	Insert CCT	Performance	Finish	Driver	Input voltage	Run Length in ft.
LK	LK070	PC	40	RO	S	A	U	12

Family	Profile size	Mounting	Insert CCT	Performance	Finish	Driver	Input voltage	*Run Length in ft.
LK	LK70 70mm (2.76")	PC pendant - cables included	27 2700K 30 3000K 35 3500K 40 4000K	RO 1100 lm/ft - 9W/ft HO 1500 lm/ft - 13W/ft	S silver B black W white	N non-dim A 0-10V	120 120V 277 277V U universal	

Notes: *Actual length may be different than nominal length. Request shop drawings prior to placing an order.



Light Distribution Options For All LK Versions

