










Plafó LED






**D62024C** | 26W | LED Slim Plafó




**IP20**








0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62024C	26W	1600lm	3000K	G	WHITE	0-10V	IP20	120V-277V







**D62026A** | 15W | SMD 2835 LED | *Slim Plafa - Residential & Commercial Application*






**IP20**



0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026AW	15W	1050lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V




**D62026B** | 24W | SMD 2835 LED | *Slim Plafa - Residential & Commercial Application*






**IP20**



0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026BW	24W	1700lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V




**D62026C** | 30W | SMD 2835 LED | *Slim Plafa - Residential & Commercial Application*


**IP20**



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
NOHAY	D62026CW	30W	2150lm	3000K	Warm White	WHITE	0-10V	IP20	120V-277V






**LED BUILT IN**

**80 CRI**


**D62118D** | 18W | LED Slim Plafó


**IP20**



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62118D	18W	1100lm	3000K	120°	WHITE	0-10V	IP20	120V-277V






**LED BUILT IN**

**80 CRI**


**D62125D** | 25W | LED Slim Plafó


**IP20**



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62125D	25W	1500lm	3000K	120°	WHITE	0-10V	IP20	120V-277V






**LED BUILT IN**

**80 CRI**


**D62150D** | 50W | LED Slim Plafó








**IP20**




0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
IRRA IP20	D62150D	50W	3150lm	4000K	120°	WHITE	0-10V	IP20	120V-277V












**D62140RF** | 40W | LED Slim Plafó



**IP40**

5.7" x 42.24"



1.97"

0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
MACON	D62140RF	40W	2700lm	4000K	G	WHITE	0-10V	IP40	120V-277V












**D62142N** | 42W | LED Decorative Plafó

IP20


23.62"







5.19"

0-10V dimming option, available for 277V

\*variable CCT:  
3000K - 4000K - 5000K Adjustable

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62142NW	42W	2520lm	*variable	G	WHITE	0-10V	IP20	120V-277V
LORAINE	D62142NAN	42W	2520lm	*variable	G	ANTHRACITE	0-10V	IP20	120V-277V



**D62132N** | 32W | LED Decorative Plafó

IP20


17.9"


5.19"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINE	D62132NW	32W	1920lm	3000K	G	WHITE	0-10V	IP20	120V-277V
LORAINE	D62132NAN	32W	1920lm	3000K	G	ANTHRACITE	0-10V	IP20	120V-277V










**LED BUILT IN**

**80 CRI**

\*variable CCT:  
3000K - 4000K - 5000K Adjustable

**D62134N** | 32W | LED Plafo


IP20

|

15.75"


|


3.35"



0-10V dimming option, available for 277V




FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINÉ	D62134N	32W	1750lm	*variable	120°	BRSH BRASS	0-10V	IP20	120V-277V





**LED BUILT IN**

**80 CRI**

\*variable CCT:  
3000K - 4000K - 5000K Adjustable

**D62144N** | 50W | LED Plafo


IP20

|

24"

|

3.35"



0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LORAINÉ	D62144N	50W	2750lm	*variable	120°	BRSH BRASS	0-10V	IP20	120V-277V





**LED BUILT IN**

**80 CRI**





\*variable CCT:  
3000K - 4000K - 5000K Adjustable

**D67452** | 30W | LED Dark Light Plafo

IP20

DARK LIGHT

|

18.9"


|







5.6"





0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
MELANIA	D67452W	30W	2000lm	*variable	G	WHITE	0-10V	IP54	120V-277V
MELANIA	D67452B	30W	2000lm	*variable	G	BLACK	0-10V	IP54	120V-277V



**D62146** | 55W | SMD 2835 LED | Slim Plafó - Residential & Commercial Application

0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	LIGHT COLOR	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
LUCENT	D62146BW	55W	4100lm	3000K	Warm White	BLACK	0-10V	IP20	120V-277V









866.356.4458



**solavanti**lighting.com

f
p
@
in



**D67402** | 25W | LED Slim Plafó











0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
WADEET	D67402W	25W	1850lm	3000K	G	WHITE	0-10V	IP40	120V-277V
WADEET	D67402B	25W	1850lm	3000K	G	BLACK	0-10V	IP40	120V-277V








**D67370** | 25W | LED Slim Plafó

**IP54**



13.78"

1.57"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
PEDINO	D67370	25W	2000lm	4000K	G	WHITE	0-10V	IP54	120V-277V













**D67362** | 20W | LED Slim Plafa






0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67362W	20W	1600lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67362AN	20W	1600lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V










**D67362A** | 20W | LED Slim Plafa





0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67362AW	20W	1600lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67362AAN	20W	1600lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V





**LED  
BUILT IN**

**80  
CRI**







120°

**D67363** | 30W | LED Slim Plafa




11.81"


1.93"



0-10V dimming option, available for 277V


FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67363W	30W	2500lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67363AN	30W	2500lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V







**LED  
BUILT IN**

**80  
CRI**









120°

**D67363A** | 30W | LED Slim Plafa




51.1" x 51.1"

1.93"










0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
RODOS	D67363AW	30W	2500lm	3000K	120°	WHITE	0-10V	IP54	120V-277V
RODOS	D67363AAN	30W	2500lm	3000K	120°	ANTHRACITE	0-10V	IP54	120V-277V








**D67368** | 18W | LED Slim Plafa

**IP54**

11.8"



1.65"

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
PEDINO	D67368	18W	1350lm	3000K	120°	WHITE	0-10V	IP54	120V-277V



















**D67384** | 30W | Indoor / Outdoor LED Slim Plafa






0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
HASKO	D67384W	30W	2500lm	3000K	G	WHITE	0-10V	IP54	120V-277V
HASKO	D67384AN	30W	2500lm	3000K	G	ANTHRACITE	0-10V	IP54	120V-277V

**D67384A** | 30W | Indoor / Outdoor LED Slim Plafa

0-10V dimming option, available for 277V

FAMILY	ITEM#	WATTAGE	LUMENS	CCT	BEAM	FINISH	DRIVER	IP RATING	INPUT VOLTAGE
HASKO	D67384AW	30W	2500lm	3000K	G	WHITE	0-10V	IP54	120V-277V
HASKO	D67384AAN	30W	2500lm	3000K	G	ANTHRACITE	0-10V	IP54	120V-277V