




odelia




odelia

ELEGANCE


ALLROUND



Surface



Pendant




Wall



ODELIA - PURE ELEGANCE

Inspiration



ODELIA FEATURES



ELEGANT DESIGN
Iconic solid or two-tone design with special frame.



ENERGY EFFICIENCY
The lamp offers very high light output with low power consumption.



DIRECT / INDIRECT LIGHTING
The luminaire is also available with active indirect light and passive aura effect.

CLICK & PLAY INSTALLATION
Simply press the housing onto the canopy with a click!



DIRT & INSECT PROTECTION
The lamp is protected from dust and insects.




INTEGRATED SENSOR (OPTIONAL)
Integrated daylight and motion sensors.



DIFFERENT SIZES



VARIOUS HANGINGS



COLOR COMBINATIONS




ODELIA PROJECT



INSPIRATION

Product: odelia



INSPIRATION

Product: odelia



INSPIRATION

Product: odelia



1 SIZE

ø 12.99"

(direct only)

ø 16.53"

ø 24.4"

2 COLOR

033

silver - silver

042

black - silver

062

capital copper - black

glaring gold - black

black - black

capital copper - white

glaring gold - white

black - white

white - white

RAL of your choice

housing

decorative ring

3 DIRECT / INDIRECT

SISI

direct

1

SWSI

direct/indirect

2

4 LED

830

low output 0-10V Dimming

L3

840

high output 0-10V Dimming

H3

930

940

5 OUTPUT / CONTROL

830

low output 0-10V Dimming

L3

840

high output 0-10V Dimming

H3

930

940

6 OPTIC

S


satiné

S

M

microprism*

M



LUMINOUS FLUX (LM) / SYSTEM POWER (W)					
direct			direct/indirect		
4000 K satiné	low output CRI > 80	high output CRI > 80	low output CRI > 80	high output CRI > 80	
ø12.99"	885 lm / 7.4 W	2036 lm / 15 W	-	-	
ø16.53"	1550 lm / 11.5 W	3067 lm / 22 W	1687 lm / 11.5 W	3333 lm / 22 W	
ø24.4"	3385 lm / 22 W	6207 lm / 40 W	3587 lm / 22 W	6502 lm / 40 W	

COMPARE COVER ø16.53", 4000 K, CRI > 80, LOW OUTPUT

	direct	direct/indirect
satiné	1550 lm	1687 lm
microprism*	1401 lm	1542 lm

WEIGHT	direct	direct/indirect
ø12.99"	5.07 lbs	-
ø16.53"	6.61 lbs	6.834 lbs
ø24.4"	11.24 lbs	12.12 lbs

All figures of luminous flux (lm) are for fixtures with white housing (RAL 9016). Depending on the housing color, the luminous flux is reduced accordingly.



1 SUSPENSION STYLE

	Rope vertical	H
	Rope centrally bundled	Y
	Rope centrally merging	Z

2 SIZE

ø 12.99" (direct only)	033
ø 16.53"	042
ø 24.4"	062

3 COLOR

		silver - silver	SISI
		black - silver	SWSI
		capital copper - black	RRSW
		glaring gold - black	DDSW
		black - black	SWSW
		capital copper - white	RRWS
		glaring gold - white	DDWS
		black - white	SWWS
		white - white	WSWS
		RAL of your choice	
		housing decorative ring	

4 DIRECT / INDIRECT

	direct	1
	direct/indirect	2

5 LED



	3000 K, CRI > 80	830
	4000 K, CRI > 80	840
	3000 K, CRI > 90	930
	4000 K, CRI > 90	940

6 OUTPUT / CONTROL

	low output 0-10V Dimming	L3
	high output 0-10V Dimming	H3

7 OPTIC

	satiné	S
	microprism*	M



LUMINOUS FLUX (LM) / SYSTEM POWER (W)

direct			direct / indirect	
4000 K satiné	low output CRI > 80	high output CRI > 80	low output CRI > 80	high output CRI > 80
ø 12.99"	885 lm / 7.4 W	2036 lm / 15 W	1276 lm / 10 W	2911 lm / 22 W
ø 16.53"	1550 lm / 11.5 W	3067 lm / 22 W	2453 lm / 17 W	4897 lm / 33 W
ø 24.4"	3385 lm / 22 W	6207 lm / 40 W	5278 lm / 33 W	9526 lm / 59 W

COMPARE COVER Ø 16.53"

direct			direct / indirect	
4000 K satiné	low output CRI > 80	high output CRI > 80	low output CRI > 80	high output CRI > 80
satiné	1550 lm	3067 lm	2453 lm	4897 lm
microprism	1401 lm	2793 lm	2330 lm	4659 lm


WEIGHT



	direct	direct / indirect
ø 12.99"	H / Y / Z: 5.95 lbs	H / Y / Z: 6.17 lbs
ø 16.53"	H / Y / Z: 7.49 lbs	H / Y / Z: 8.15 lbs
ø 24.4"	H / Y / Z: 12.12 lbs	H / Y / Z: 13.88 lbs

All figures of luminous flux (lm) are for fixtures with white housing (RAL 9016). Depending on the housing color and diameter, the luminous flux is reduced accordingly.


COLOR CHARTS | HOUSING & CABLES



Optional version

Suspension cable

68.89"
5x0.029in.²



RAL OF YOUR CHOICE | OPTIONAL HOUSING COLORS



